

GUIDE

List of Medical Record Contents that “Reflect” Each Qualifying Diagnosis*

	QUALIFYING DIAGNOSIS	REFERENCE POINTS IN MEDICAL RECORDS
1.	Alzheimer’s Disease	<ol style="list-style-type: none"> 1. Alzheimer’s or Alzheimer’s Disease 2. 331.0 (ICD-9 code) 3. G30.9 (ICD-10 code) 4. Major Neurocognitive Disorder due to probable Alzheimer’s Disease (DSM-5) (Retired NFL Football Player deceased before the Effective Date) 5. AD (Alzheimer’s Disease acronym)
2.	Parkinson’s Disease	<ol style="list-style-type: none"> 1. Parkinson’s or Parkinson’s Disease 2. 332.0 (ICD-9 code) 3. G20 (ICD-10 code) 4. Major Neurocognitive Disorder probably due to Parkinson’s Disease (DSM-5) (Retired NFL Football Player deceased before the Effective Date) 5. PD (Parkinson’s Disease acronym)
3.	Death with CTE	<ol style="list-style-type: none"> 1. CTE 2. Chronic Traumatic Encephalopathy
4.	ALS	<ol style="list-style-type: none"> 1. ALS 2. Amyotrophic Lateral Sclerosis 3. Lou Gehrig’s Disease 4. 335.20 (ICD-9 code) 5. G12.21 (ICD-10 code)

*This is a non-exhaustive list and other terms may be included that are not present here.

GUIDE

List of Medical Record Contents that “Reflect” Each Qualifying Diagnosis*

	QUALIFYING DIAGNOSIS	REFERENCE POINTS IN MEDICAL RECORDS
5.	Level 1.5 Neurocognitive Impairment	<p>The Claims Administrator looks for terms like these in combination building toward the definition of Level 1.5 Neurocognitive Impairment.</p> <ol style="list-style-type: none"> 1. Concern (related to perceived severe decline in cognitive function) 2. Moderate to severe decline in cognitive function (in two or more cognitive domains of complex attention, executive function, learning and memory, language, or perceptual-spatial; one must be complex attention, executive function, or learning and memory) 3. Category 1.0 functional impairment (in the areas of Community Affairs, Home & Hobbies, and Personal Care, consistent with “Mild” on the National Alzheimer’s Coordinating Center’s Clinical Dementia Rating Scale) 4. Early dementia 5. NOT exclusively delirium, acute substance abuse, or medication side effects 6. (Execution of the standardized neuropsychological testing protocol in Exhibit 2 to the Settlement Agreement)

*This is a non-exhaustive list and other terms may be included that are not present here.

GUIDE

List of Medical Record Contents that “Reflect” Each Qualifying Diagnosis*

	QUALIFYING DIAGNOSIS	REFERENCE POINTS IN MEDICAL RECORDS
6.	Level 2 Neurocognitive Impairment	<p>The Claims Administrator looks for terms like these in combination building toward the definition of Level 2.0 Neurocognitive Impairment.</p> <ol style="list-style-type: none"> 1. Concern (related to perceived severe decline in cognitive function) 2. Severe decline in cognitive function (in two or more cognitive domains of complex attention, executive function, learning and memory, language, or perceptual-spatial; one must be complex attention, executive function, or learning and memory) 3. Category 2.0 functional impairment (in the areas of Community Affairs, Home & Hobbies, and Personal Care, consistent with “Moderate” on the National Alzheimer’s Coordinating Center’s Clinical Dementia Rating Scale) 4. Moderate dementia 5. Severe dementia 6. NOT exclusively delirium, acute substance abuse, or medication side effects 7. (Execution of the standardized neuropsychological testing protocol in Exhibit 2 to the Settlement Agreement)

*This is a non-exhaustive list and other terms may be included that are not present here.